

深圳宏森生物实业有限公司

ShenZhen Hongsen Biology Industry Co., Ltd.

Certificate of Analysis

Product name:	OkoMed
Manufacturer:	ShenZhen Hongsen Biology Industry Co.,Ltd
Package:	30 Capsules 600 milligram
Purpose of Analysis:	control of quality
Batch:	102026
Date of making:	10/04/2024
Sell by:	10/04/2026


Names	Description	Result
Description	White	Complied
Smell	Saturated peculiar smell	Complied
The admixture	Of visible is not present	Complied
Active polysaccharidess	Less 0,39/100 gram	Complied
Dissolution	Complied	Complied
Ash	Max 0,5%	0,4%
Heavy metals	Max 10,0	9,2
Arsenic	Max 0,8	0,55
Lead	Max 1,0	0,90
Mercury	Max 0,1	0,1
Cadmium	Max 0,01	0,009

Microbiological control


Yeasts and mould	Less 48/ gram	Complied
E.Coli (collibacillus)	It is absent	Complied
Salmonella	It is absent	Complied

Analyzes data 17/04/2024

Conclusion: The product is complied with standard

Director of the QC Dept: 

Inspector 



地址: 深圳市深南东路 305 号
Add: 305 Shennan Road East,
ShenZhen, China.

Postcode: 518008

Tel: 86-755-29503655

Fax: 86-755-29503658

By en 1606

big 130621

深圳宏森生物实业有限公司

ShenZhen Hongsen Biology Industry Co., Ltd.

ШеньЧжень Хонгсен Байолоджи Индустри Ко., ЛТД

Сертифікат аналізу

Назва товару:	ОкоМед
Виробник:	ShenZhen Hongsen Biology Industry Co.,Ltd/ ШеньЧжень Хонгсен Байолоджи Индустри Ко., ЛТД
Упаковка:	30 капсул по 600 міліграм
Мета аналізу:	контроль якості
Партія:	102026
Дата виробництва:	10/04/2024
Вжити до:	10/04/2026

Назва показника	Норма	Результати аналізів
Опис	капсули білі	Відповідає
Запах	Специфічний	Відповідає
Домішки	Із видимих немає	Відповідає
Активні полісахариди	Менше ніж 0,39/100 грам	Відповідає
Разчинення	Відповідає	Відповідає
Осад	Максимум 0,5%	0,4%
Важкі метали	Максимум 10,0	9,2
Мишьяк	Максимум 0,8	0,55
Свинець	Максимум 1,0	0,9
Меркурій	Максимум 0,1	0,1
Кадмій	Максимум 0,01	0,009

Мікробіологічний контроль

Дріжджі та пліснява	Менше ніж 48/грам	Відповідає
E.Coli (колибактеріоз)	Відсутні	Відповідає
Сальмонелли	Відсутні	Відповідає

Дата проведення аналізу: 17/04/2024

Висновок: продукт відповідає стандарту

Директор Департаменту контролю якості:

Інспектор

Адреса: Шеннан

Індекс:518008

Телефон: 86-755-

Факс: 86-755-

Роуд Іст 305,

29503655

29503658

ШеньЧжень, Китай